

# INDEX MAPS.

**T.8N R.3W 2<sup>nd</sup> Mer.**

	390		390		389		389		389		389	
392	6	402	5	401	4	414	3	415	2	413	1	388
	<del>402</del>		<del>400</del>		<del>401</del>		<del>415</del>		<del>413</del>		<del>413</del>	
392	7	400	8	400	9	414	10	414	11	408	12	388
	<del>401</del>		<del>398</del>		<del>399</del>		<del>412</del>		<del>412</del>		<del>408</del>	
391	18	398	17	398	16	411	15	412	14	408	13	388
	<del>399</del>		<del>416</del>		<del>397</del>		<del>411</del>		<del>410</del>		<del>407</del>	
391	19	396	20	397	21	404	22	410	23	407	24	387
	<del>396</del>		<del>394</del>		<del>393=395</del>		<del>409</del>		<del>409</del>		<del>407</del>	
391	30	394	29	395	28	404	27	409	26	406	25	387
	<del>395</del>		<del>393</del>		<del>405</del>		<del>403</del>		<del>403</del>		<del>406</del>	
390	31	393	32	405	33	404	34	403	35	405	36	387
	<del>386</del>		<del>386</del>		<del>386</del>		<del>385</del>		<del>385</del>		<del>385</del>	

**T.9N R.3W 2<sup>nd</sup> Mer.**

	422		422		421		421		421		421	
424	6	446	5	446	4	433	3	435	2	435	1	420
	<del>445</del>		<del>444</del>		<del>444</del>		<del>433</del>		<del>434</del>		<del>435</del>	
424	7	444	8	445	9	432	10	433	11	434	12	420
	<del>445</del>		<del>443</del>		<del>442</del>		<del>432</del>		<del>431</del>		<del>431</del>	
423	18	443	17	442	16	432	15	431	14	428	13	419
	<del>442</del>		<del>440</del>		<del>439</del>		<del>430</del>		<del>430</del>		<del>428</del>	
423	19	440	20	439	21	438	22	429	23	427	24	419
	<del>440</del>		<del>441</del>		<del>438</del>		<del>429</del>		<del>426=427</del>		<del>426</del>	
423	30	441	29	438	28	437	27	427	26	425	25	419
	<del>441</del>		<del>437</del>		<del>436</del>		<del>429</del>		<del>426</del>		<del>424</del>	
422	31	437	32	436	33	436	34	426	35	424	36	418
	<del>418</del>		<del>418</del>		<del>417</del>		<del>417</del>		<del>417</del>		<del>417</del>	

(F) The figures on the lines refer to the page.

Township N. 8 North of Range N. 3 West 2nd Mer. Ind.

Ch. Sec.

South Boundary

Apr. 9. 1811

- West On the South Boundary of sec. 36 T. N. 8 N. R. N. 3 W. from ~~the~~ the cor. of T. 5 N. 8. W. 213 W.  
25.00 To a Brook. — the side, Course N.E.  
40.00 Set a post for the cor. of 1/4 sec. from which a  
Sugar 18 in. diam. bears S 74 E. 25 lbs dist; 1 a  
Buck 18 " " " S 70 W. 14 " "  
80.00 Set a post for the cor. of sec. 35 & 36 from which a  
Sugar 14 in. diam. bears N 13 W. 20 links dist; 1 a  
Buck 24 " " " S 10 E. 27 " "  
Grass Oak. Sound.

- West On the South Boundary of sec. 35. T. N. 8. N. R. N. 3 W.  
10.00 To a Brook 10 links side, Course S.W.  
25.00 " " " 3 " " " S.  
40.00 Set a post for the cor. of 1/4 sec. from which a  
Buck 15 in. diam. bears N 20 E. 20 links dist; 1 a  
Lr. 10 " " " S 36 W. 20 " "  
48.00 To a Brook 10 links side, Course S.  
80.00 Set a post for the cor. of sec. 34 & 35 from which a  
Sugar 16 in. diam. bears S 6 W. 30 lbs dist; 1 a  
Poplar 14 " " " N 53 W. 29 " "  
Sound hilly; dirt; Sugar & Buck & Oak

- West On the South Boundary of sec. 34 T. N. 8 N. R. N. 3 W.  
26.00 To a Brook 5 links side, Course S.  
32.50 " " " 10 " " " "  
40.00 Set a post for the cor. of 1/4 sec. from which a  
White 10 in. diam. bears S 28 W. 7 lbs dist; 1 a  
Buck 12 " " " N 16 W. 13 " "  
60.00 To a Brook. 5 links side, Course S.  
80.00 Set a post for the cor. of sec. 33 & 34 from which a  
Sugar 10 in. diam. bears S 44 W. 7 lbs dist; 1 a

T. N. 8 N. R. N. 3 W. 2<sup>nd</sup> Mer. Ind.

	Run 16 in. dist. bears S 56 E. 27 lbs dist Willy Oak Sunde.
West	On the South Boundary of sec. 33. T. N. 8 N. R. 3 W.
3.00	To a Brook 4 lbs wide, Course S E.
40.00	Set a post for the cor. of 1/4 sec. from which Back 16 in. dist. bears S 60 W. 18 lbs dist; 1 <sup>st</sup> Back 16 " " " N 7 E. 20 " "
62.00	To a Brook 5 lbs wide, Course S.
65.00	" " " " " " S E.
80.00	Set a post for the cor. of sec. 32 & 33. from which Back 15 in. dist. bears S 51 E. 23 lbs dist; 1 <sup>st</sup> Do. 24 " " " N 72 W. 28 " " Willy Oak Sunde.
West	On the South Boundary of sec. 32. T. N. 8 N. R. 3 W.
24.00	To a Brook 3 lbs wide, Course S.
40.00	Set a post for the cor. of 1/4 sec. from which Run 6 in. dist. bears N 28 W. 17 lbs dist; 1 <sup>st</sup> Run 16 " " " S 64 E. 31 " "
75.00	To a Spring; Course S.
80.00	Set a post for the cor. of sec. 31 & 32 from which Back 12 in. dist. bears N 74 W. 8 lbs dist; 1 <sup>st</sup> Do. 10 " " " N 83 E. 23 " " Willy Oak Sunde
West	On the South Boundary of sec. 31 T. N. 8 N. R. 3 W.
40.00	Set a post for the cor. of 1/4 sec. from which Back 16 in. dist. bears N 14 W. 14 lbs dist; 1 <sup>st</sup> Do. 16 " " " S 73 E. 31 " "
80.00	Set a temporary post for the cor. of T. 7. 7 & 8. 8. N R. 3 & 4 W. Good lands; Timber Sugar, Buck, & Poplar

387

T. N. 8. N. R. 37. 2<sup>nd</sup> Mo. Sec.

Surveyed by  
Abraham Holmes L.S.

East Boundary

B. 138

North On the East Boundary of sec. 36. T. N. 8. N. R. 37.  
From the cor. of T. 57. 18. N. R. 213 W.

11.50 To a Quercus 8 links wide, Corner S. E.

40.00 Set a post for the cor. of 1/4 sec. from which a  
Beech 14 in. diam. bears S 20 W. 31 links dist; & a  
Oak 16 " " " N 51 E. 26 " "

54.00 To a Beech 14 in diam. stands in the line.

80.00 Set a post for the cor. of sec. 25 & 36. From which a  
Beech 12 in. diam. bears S 59 E. 18 links dist; & a  
Gum 22 " " " N 19 W. 22 " "  
Same land; Timber Beech. Gum & Poplar.

North On the East Boundary of sec. 25 T. N. 8. N. R. 37.

19.50 To a Gum 20 in. diam. stands in the line.

40.00 Set a post for the cor. of 1/4 sec. from which a  
Hickory 10 in diam. bears S 19 E. 10 links dist; & a  
Oak 11 " " " N 26 W. 37 " "

80.00 Set a post for the cor. of sec. 24 & 25 T. N. 8. N. R. 37.  
From which a Beech 9 in diam. bears N 25 W. 10 links  
and a Maple 12 in. diam. bears S 79 E. 22 links dist.  
Same land; Timber Oak. Beech & Elm.

North On the East Boundary of sec. 24. T. N. 8. N. R. 37.

15.00 To a Hickory 18 in. diam. stands in the line

40.00 Set a post for the cor. of 1/4 sec. from which a  
Sugar 13 in. diam. bears N 59 W. 12 links dist; & a  
Oak 5 " " " S 43 E. 14 " "

80.00 Set a post for the cor. of sec. 13 & 24 from which a  
Poplar 5 in diam. bears. N 18 E. 15 links dist; & a  
Oak 5 " " " East 19 " "



T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 3 W. 2<sup>nd</sup> Mer. (Ind.),

North	On the East Boundary of Sec. 13. T. N <sup>o</sup> 8. N.R. 3 W.
35.00	To a Buck. 14 in. diam. It stands on the line
40.00	Set apart for the cor. of 1/4 Sec. from which a Buck. 15 in. diam. bears S 52 W. 40 links due; 1 <sup>st</sup> do. 14 " " " S 60 E. 32 " "
47.00	To a Buck. 50 links wide, Corner N.W.
80.00	Set apart for the cor. of Sec. 12 & 13 from which a Buck. 13 in. diam. bears S 58 E. 22 the due; 1 <sup>st</sup> Sugar. 18 " " " N 76 W. 19 " "
North	On the East Boundary of Sec. 10. T. N <sup>o</sup> 8. N.R. N <sup>o</sup> 3 W.
40.00	Set apart for the cor. of 1/4 Sec. from which a Buck. 14 in. diam. bears N 61 W. 14 links due; 1 <sup>st</sup> do. of " " " S 47 E. 16 " "
63.50	To a Sugar 7 in. diam. It stands on the line.
69.00	To a Buck. 15 links wide, Corner S.W.
80.00	Set apart for the cor. of Sec. 11 & 12 from which a Sugar. 14 in. diam. bears S 68 W. 20 links due; 1 <sup>st</sup> Buck. 15 " " " N 86 E. 18 " " Lands 2 <sup>nd</sup> rate; Timber Buck. & Sugar &c.
North	On the East Boundary of Sec. 1. T. N <sup>o</sup> 8. N.R. N <sup>o</sup> 3 W.
9.00	To a Poplar - in diam. It stands on the line
40.00	Set apart for the cor. of 1/4 Sec. - from which a Poplar 20 in. diam. bears S 82 E. 23 links due; 1 <sup>st</sup> Buck. 6 " " " S 82 W. 27 " "
78.00	Sett 10 ch. East of the Township corner. & set apart for the cor. of Towns 8. & 9. N.R. 2 & 3 W. from which a Sugar 13 in. diam. bears S 77 E. 9 the due; 1 <sup>st</sup> do. 12 " " " S 46 W. 14 " " Lands & Timber same as last mile.

North Boundary

B. 145

West On the South Boundary of sec. 36. T. N<sup>o</sup> 9. N.R. 3 W.  
From the cor. of T<sup>o</sup> 8 & 9 N.R. N<sup>o</sup> 2 & 3 W.

April 11. 1811.

19.50 To a Brook 50 links wide, Course S W.

40.00 Set a post for the cor. of 1/4 sec. from which a  
Buck 13 in. diam. bears S 74 E. 44 links dist; 1 a  
Do. 16 " " " N 7 W. 43 " "

80.00 Set a post for the cor. to sec. 35 & 36. from which a  
Hick 15 in. diam. bears N 76 E. 27 links dist; 1 a  
Hogwood 4 " " " S 70 W. 25 " "  
Wetly Buck. Sande.

West On the South Boundary of sec. 35. T. N<sup>o</sup> 9. N.R. 3 W.

40.00 Set a post for the cor. of 1/4 sec. from which a  
Oak 16 in. diam. bears N 10 W. 2 links dist; 1 a  
Sugar 5 " " " S 36 W. 37 " "

80.00 Set a post for the cor. of sec. 34 & 35 from which a  
Buck. 13 in. diam. bears N 70 W. 28 links dist; 1 a  
Do. 12 " " " S 13 E. 26 " "  
Sande Soil and Timber some a last mile.

West On the South (Bound.) of sec. 34 T. N<sup>o</sup> 9. N.R. 3 W.

40.00 Set a post for the cor. of 1/4 sec. from which a  
Sugar 5 in. diam. bears N 57 E. 3 links dist; 1 a  
Buck. 12 " " " S 50 W. 51 " "

67.50 To a Brook. 5 links wide, Course S E.

80.00 Set a post for the cor. of sec. 33 & 34 from which a  
Sassafras 8 in. diam. bears East 16 1/2 links dist; 1 a  
Poplar. 6 " " " S 36 W. 28 " "  
Wetly rich land.

West On the South Boundary of sec. 33. T. N<sup>o</sup> 9. N.R. 3 W.

T. N<sup>o</sup> 8. N.R. N<sup>o</sup> 3. W. 2<sup>nd</sup> Mer (S. & N.)

17.00	To a Brook 8 miles in, Corner S.W.
40.00	Set a post for the cor. of 1/4 sec. from which a Beck. 14 in. dist. bears N 46 E. 19 the dist; 10 Do. 14 " " " S 60 W. 29 " "
80.00	Set a post for the cor. of sec. 32 & 33 from which a Sugar 9 in dist. bears N 62 E. 26 the dist; 10 Do. 12 " " " S 83 W. 33 " " Wetly Reed land.
West	On the South Boundary of sec. 32. T. N <sup>o</sup> 9. N.R. 3 W
38.50	To a Brook. 10 miles in, Corner S.W.
40.00	Set a post for the cor. of 1/4 sec. from which a Sugar. 12 in dist. bears S 43 E. 4 the dist; 10 Do. 12 " " " N 55 W. 42 " "
64.50	To a Brook 10 miles in, Corner S.E.
80.00	Set a post for the cor. of sec. 31 & 32 from which a R. Oak 36 in dist. bears S 39 W. 27 the dist; 10 Beck. 18 " " " N 20 W. 26 " " Sands muddling good Tim in 1 Beck. Sugar
West	On the South Boundary of sec. 31. T. N <sup>o</sup> 9. N.R. 3 W
35.00	To a Brook. 12 miles in, Corner S.W.
40.00	Set a post for the cor. of 1/4 sec. from which a Beck 9 in dist. bears N. 10 E. 11 the dist; 10 Do. 18 " " " S 46 E. 26 " "
80.00	Set a temp. post for the cor. of T. N <sup>o</sup> 8. 19. N.R. 3 3 & 4 W. Sands set & Tim in same as last met.
North	West Boundary Apr. 12 <sup>th</sup> 1811 B. On the East Bound. of Sec. 36. T. N <sup>o</sup> 8. N.R. 4 W From the cor. of T. N <sup>o</sup> 8. N.R. 3 & 4 W
40.00	Set a post for the cor. of 1/4 sec. from which a



T. N. 8. N. R. N. 3. W. 2<sup>nd</sup> Mer. Ind. a

	<p>Beck 8 in dir: bears S 2 E. 3 miles dist; 1<sup>st</sup> a</p> <p>Old 5 " " " N 67 W. 32 " "</p>
62.50	To a N. Oak. 24 in dir: stands in the line
74.50	To a Brook 75 the mile, Come S. N.
80.00	Set apart for the cor. of sec. 25 136 from which a
	Log in 7 in dir: bears N 23 E. 23 miles dist; 1 <sup>st</sup> a
	Beck 6 " " " S 17 W. 28 " "
	Good Beck land
North	On the East Boundary of sec. 25. T. N. 8. N. R. 4 W.
36.00	To a N. Oak 17 in dir: stands in the line
40.00	Set apart for the cor. of 1/4 sec. from which a
	Log in 14 in dir: bears N 35 W. 28 miles dist; 1 <sup>st</sup> a
	Beck 10 " " " S 36 E. 15 " "
80.00	Set apart for the cor. of sec. 24. 125 from which a
	Beck 12 in dir: bears N 19 E. 22 miles dist; 1 <sup>st</sup> a
	Lo. 10 " " " N 76 W. 21 " "
	Land to same as last mile.
North	On the East Boundary of sec. 24 T. N. 8. N. R. 4 W.
33.00	To a Brook. 19 the mile, Come N. E.
40.00	Set apart for the cor. of 1/4 sec. from which a
	Log in 14 in dir: bears N 48 W. 32 miles dist; 1 <sup>st</sup> a
	N. Oak 16 " " " N 74 E. 43 " "
57.00	To a Poplar 25 in dir: stands in the line
69.50	To a Brook 10 the mile, Come S. E.
80.00	Set apart for the cor. of sec. 13 124 from which a
	Log in 3 in dir: bears S 40 W. 9 the dist; 1 <sup>st</sup> a
	Lo. 4 " " " N 89 E. 9 " "
	Poor hilly Oak Land.
North	On the East Boundary sec. 13. T. N. 8. N. R. 4 W.
32.50	To a Brook. 10 miles mile, Come E.



T. N. 8. N. R. N. 3 W. 2<sup>nd</sup>. Mer. Ind.:

- 37.50 To a Gum 16 in dia: Stands in the line.  
 40.00 Set apart for the cor. of  $\frac{1}{4}$  sec. from which a  
 Buck. 14 in dia: bears S 85 W. 22 links dist; to  
 Hick 16 " " " N 61 E. 26 " "  
 74.00 To a Brook 12 lbs wide, Corner N. E.  
 80.00 Set apart for the cor. of  $\frac{1}{4}$  sec. 12 & 13 from which a  
 Dogwood 5 in. dia: bears S 51 W. 4 lbs dist; to  
 Hick 12 " " " N 53 E. 44 " "  
 Holly Buck. land.

- North On the East Boundary of sec. 10. T. N. 8 N. R. 4 W.  
 10.50 To a Brook 8 links wide, N. E.  
 40.00 Set apart for the cor. of  $\frac{1}{4}$  sec. from which a  
 Buck. 14 in. dia: bears S 10 E. 31 links dist; to  
 Dogwood 5 " " " N 50 W. 28 " "  
 56.00 To a Poplar 18 in. dia: Stands in the line.  
 80.00 Set apart for the cor. of  $\frac{1}{4}$  sec. 1 & 12 from which a  
 Sugar. 4 in dia: bears N 7 E. 8 links dist; to  
 Elmwood 5 " " " S 16 W. 53 " "  
 Holly Buck. land

- North On the East Boundary of sec. 1. T. N. 8 N. R. 4 W.  
 2.50 To a Brook 10 lbs wide, Corner N. W.  
 7.00 " " Spruce 5 " " " E.  
 40.00 Set apart for the cor. of  $\frac{1}{4}$  sec. from which a  
 Buck. 6 in. dia: bears N 27 W. 6 lbs dist; to  
 Do. 9 " " " S 34 E. 15 " "  
 67.00 To a Brook. 30 links wide, Corner S. W.  
 77.50 To 75 lbs West of the township plat cor. to T. 8 & 9  
 N. R. 3 & 4 W. from which a Set apart from which  
 a Buck. 12 in dia: bears S 21 E. 13 lbs dist; to  
 Do. 14 " " " N 16 W. 35 " "  
 Good Buck. land.

T. N. 8. N. R. N. 37. 2nd. M. S. S.

Surveyed by  
James Holmes. U. S.

## Subdivisions

East On a N. W. corner line between Sec. 21. & 28 T. N. 8. N. R. 37. lev  
 45.00 Set a temporary spot for the cor. of  $\frac{1}{4}$  sec.  
 62.00 To a Brook. 15 rods wide, Corner N. Set dry  
 79.37 Enter sec. 28 N. 8. line 4 miles N. of the post cor. of sec.  
 21. 22, 27 & 28  
 Land nothing poor. Soil; Timber Oak. Beech 10

West Between Sec. 29 & 30 T. N. 8. N. R. 37.  
 Sept. 3<sup>rd</sup> 18. 45.

13.50 To a Brook (small) Corner S.  
 36.00 " " 10. 10 rods wide, Corner S.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
 Poplar. Oak. etc. trees S 30 E. 14 rods wide; 10  
 Hickory 3 " " " N 20 E. 6 " "  
 51.01 To a small Brook Corner S.  
 70.00 " " " " " " N.  
 80.00 Set a post for the cor. of sec. 29, 30, 31 & 32 from which  
 Beech 10 rods wide; trees S 32 E. 31 rods wide; 10  
 " 10 " " " West. 16 " "  
 Land pretty and good for farming. Timber Oak  
 Poplar, Sugar, Beech etc. 2nd rate;

South On a Random line between Sec. 31 & 32 T. N. 8. N. R. 37.  
 29.00 To a Brook. 20 rods wide, Corner N.  
 40.00 Set a temporary spot for the cor. of  $\frac{1}{4}$  sec.  
 80.38 Enter sec. 32 E. N. Range line 50 rods West of the post  
 cor. of sec. 31. & 32  
 Land soil & Timber same as last mile.

T. N. 8. N. R. N. 37. 2<sup>nd</sup> Mer. Sud. 2)

North Oath line between Sec. 31. 130 T. N. 8. N. R. 37.  
 40.19 Set the temporary post at the corner which on the line for  
 the cor. of 1/4 sec. from which a  
 Logwood 5 in dist. bears N 63 W. 7 the dist; 10  
 Sugar. 6 " " " S 57 E. 23 " "  
 80.38 To the post cor. of sec. 29. 30. 31. 130.

North Return Sec. 29. 130 T. N. 8. N. R. N. 37.  
 34.00 To a Brook. 15 links mile Course N.  
 40.00 Set a post for the cor. of 1/4 sec. from which a  
 W. Oak. 14 in dist. bears S 58 E. 10 the dist; 10  
 Do. 12 " " " N 63 W. 17 " "  
 46.00 To a Brook 10 links mile, Course N.  
 60.00 " " " 10 " " " S. N.  
 80.00 Set a post for the cor. of sec. 19. 20. 29. 30 ~~from which~~  
 a Logwood - 14 in dist. ~~bears~~ stands for the cor. from  
 which a Beech. 6 in dist. bears N 82 W. 15 the dist;  
 and do. 12 " " " S 99 E. 32 " "  
 Sand rolling rather poor. Timber same.

East Return Sec. 20. 129 T. N. 8. N. R. N. 37.  
 8.50 To a small Brook. Course S.  
 35.50 " " " " " S. N.  
 40.00 Set a post for the cor. of 1/4 sec. from which a  
 Beech. 9 in dist. bears S 1 E. 5 the dist; 10  
 Do. 15 " " " N 51 E. 13 " "  
 71.00 To a Brook. 10 links mile, Course N.  
 80.00 Set a post for the cor. of sec. 20. 21. 28. 129 from which  
 a Beech. 9 in dist. bears S 13 E. 13 the dist; 10  
 Do. 4 " " " N 32 W. 21 " "  
 Sand soil and Timber similar to the last one.  
 Sand muddling for farming



395

T. N. 8. N. R. N. 3 W. 2<sup>nd</sup> Mer. (S. 1<sup>st</sup>),

South On a Meridian line between Sec. 28. & 29 T. N. 8. N. R. 3 W.  
 40.00 Set a temporary post for the cor. of  $\frac{1}{4}$  sec.  
 79.55 Intersect the E. & W. line 29 miles East of the post  
 cor. of sec. 28. 29. 32 & 33.  
 Land is hilly, & good for farming; Timber Birch,  
 Sugar. Poplar & Oak

North On the true line between Sec. 28. & 29 T. N. 8. N. R. N. 3 W.  
 39.77 Set the temporary post at the arr. dist on the true line for  
 the cor. of  $\frac{1}{4}$  sec. from which  
 Logwoods 3 mi. dist. bears S 87 N. 2 mi. dist; & c  
 Hickory 8 " " " S 28 E. 11 " "  
 79.55 To the post cor. of sec. 20. 21. 28. & 29.

East On a Meridian line between Sec. 21. & 28 T. N. 8. N. R. N. 3 W.  
 40.00 Set a temporary post for the cor. of  $\frac{1}{4}$  sec.  
 62.00 To a Brook 15 miles N. corner N. Set any  
 79.57 Intersect the N. & S. line 4 miles North of the post cor. of  
 Sec. 21. 22. 27 & 28.  
 Land is broken & hilly; Timber same as on the last line

West On the true line between Sec. 21. & 28 T. N. 8. N. R. N. 3 W.  
 39.78 Set a post for the cor. of  $\frac{1}{4}$  sec. at the arr. dist on  
 the true line from which  
 Heights 10 mi. dist. bears N 79 E. 30 mi. dist; & c  
 Logwoods 6 " " S 86 W. 10 " "  
 79.57 To the post cor. of sec. 20. 21. 28. & 29

West Between Sec. 30. & 31 T. N. 8. N. R. N. 3 W.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which  
 Sugar 11 mi. dist. bears S 77 W. 6 mi. dist; & c  
 Do. 12 " " N 87 E. 29 " "  
 70.00 To a Brook 100 miles N. corner T. N.

T. N<sup>o</sup> 8. N.R. N<sup>o</sup> 37<sup>th</sup> 2<sup>nd</sup> Mer. Sec.

78.42 Intersect the N.S. Range line. 77 miles North of  
the post cor. of sec. 25 & 36. T. N<sup>o</sup> 8. N.R. N<sup>o</sup> 47<sup>th</sup> &  
set a post for the cor. of sec. 30 & 31 from which a  
Beck. 8 in dist. bears S 37<sup>th</sup> 19 the dist; to  
Beck. 10 " " " N 10<sup>th</sup> 29 " "  
E 1/2 mile good soil; 4 1/2 pm. & hilly.

West Return Sec. 19 & 30 T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 37<sup>th</sup>.

25.00 To a Spr. Brook. - the main course S 7<sup>th</sup>.

33.00 " " Small Brook. Course S 7<sup>th</sup>.

40.00 Set a post for the cor. of 1/4 sec. from which a  
Beck. 12 in dist. bears N 73<sup>th</sup> 16 the dist; to  
B. Oak. 18 " " " S 47<sup>th</sup> 3 " "

40.50 To a Brook 100 miles wide, Course S.

79.89 Intersect the West Boundary 92 miles N. of the post  
cor. of sec. 24 & 25. T. N<sup>o</sup> 8. N.R. N<sup>o</sup> 47<sup>th</sup> & set a  
post for the cor. of sec. 19 & 30 from which a  
Hick. 12 in dist. bears N 29<sup>th</sup> E. 4 miles dist; to  
Beck. 9 " " " S 32<sup>th</sup> 27 " "  
Sandy hilly 3<sup>rd</sup> rate;

North Return Sec. 19 & 20 T. N<sup>o</sup> 8. N.R. N<sup>o</sup> 37<sup>th</sup>.

40.00 Set a post for the cor. of 1/4 sec. from which a  
Beck. 18 in dist. bears S 26<sup>th</sup> 36 the dist; to  
Logan 6 " " " N 24<sup>th</sup> 24 " "

80.00 Set a post for the cor. of sec. 17, 18, 19, & 20 from which  
Sugar 14 in dist. bears S 4<sup>th</sup> E. 24 the dist; to  
B. Gum 15 " " " N 36<sup>th</sup> 21 " "  
Sandy hilly and muddling. good for farming  
Timber Beech, Sugar, Poplar, Oak, Good soil.

East Return Sec. 17 & 20 T. N<sup>o</sup> 8. N.R. N<sup>o</sup> 37<sup>th</sup>.

40.00 Set a post for the cor. of 1/4 sec. from which a

T. N<sup>o</sup> 8. N.R. N<sup>o</sup> 37. 2nd Mer. India

397

Beck. 13 in. air: bars S 3 E. 41 lbs. dist; 10  
 Do. 12 " " " NNE. 16 " "  
 44.00 To a Brook 15 miles wide, Comes N.W.  
 80.00 Set a post for the cor. of sec. 16. 17. 20. & 21 from which  
 Log road 8 in. air: bars S 67 E. 19 lbs. dist; 10  
 Sugar. 12 " " " N 65 W. 32 " "  
 Sandstone at last mile.

South On a Pandora line between Sec. 20 & 21 T. N<sup>o</sup> 8. N.R. N<sup>o</sup> 37  
 40.00 Set a temp<sup>y</sup> post for the cor. of 1/4 sec.  
 80.47 Intersect the E & W line 22 lbs. West of the post cor. of  
 Sec. 20. 21. 28. & 29  
 Sandstone and timber same.

North On the true line between Sec. 20 & 21 T. N<sup>o</sup> 8. N.R. N<sup>o</sup> 37  
 40.23 Set the temp<sup>y</sup> post at the av. dist. on the true line  
 for the cor. of 1/4 sec. from which  
 Hickory 15 in. air: bars S 76 E. 4 lbs. dist; 10  
 Beck. 12 " " " S 47 W. 12 " "  
 80.47 To the post cor. of sec. 16. 17. 20. & 21.

Tuesday Sept. 3. 1815.

East On a Pandora line between Sec. 16 & 21 T. N<sup>o</sup> 8. N.R. N<sup>o</sup> 37  
 20.00 To a Brook. 100 miles wide, Comes N.  
 40.00 Set a temp<sup>y</sup> post for the cor. of 1/4 sec.  
 67.00 To a Brook. 15 lbs. wide, Comes S.  
 80.00 Intersect the N. & S line 75 miles North of the post cor.  
 of sec. 15. 16. 21. & 22  
 Sandstone and timber same as last mile.

West On the true line between Sec. 16 & 21 T. N<sup>o</sup> 8. N.R. N<sup>o</sup> 37  
 40.00 Set the temp<sup>y</sup> post at the av. dist. on the true line for  
 the cor. of 1/4 sec. from which



T. N. 8 N.R. N. 3 W. 2<sup>nd</sup> Mer. Sec.

Buck 14 in dir: bears S 10 N. 11 links due;   
 Ld. 10 " " " N 67 E. 9 " "   
 80.08 To the post cor. of sec. 16 17. 20. & 21.

North Return Jul 16 & 17 T. N. 8. N.R. N. 3 W.   
 24.50 To a Brook 100 links wide, Corner W.   
 40.00 Set apart for the cor. of  $\frac{1}{4}$  Sec. from which a   
 Buck 10 in dir: bears S 12 E. 7 links due; & a   
 Ld. 11 " " " N 38 77. 27 " "   
 80.00 Set apart for the cor. of sec. 8. 9. 16. & 17 from which a   
 Buck 12 in dir: bears S 71 N. 11 links due; & a   
 Ld. 9 " " " N 36 E. 34 " "   
 Sand soil and timber same as last mile.

West Return Jul 8. & 17 T. N. 8. N.R. N. 3 W.   
 40.00 Set apart for the cor. of  $\frac{1}{4}$  Sec. from which a   
 Buck 8 in. dir: bears N 13 E. 13 links due; & a   
 Ld. 11 " " " S 11 E. 21 " "   
 45.00 To a Brook 15 links wide, Corner S.   
 79.00 " " Ld. 15 " " " N.   
 80.00 Set apart for the cor. of sec. 7. 8. 17 & 18 from which a   
 B. Walnut 6 in. dir: bears S 45 N. 6 links due; & a   
 Sycamore 36 " " " N 5 E. 20 " "   
 Sand broken & stilly; Timber same as last mile.

South Quaternary line between Jul. 17 & 18 T. N. 8. N.R. N. 3 W.   
 0.50 To a Brook 15 links wide, Corner N.E.   
 40.00 Set a temp. post. cor. of  $\frac{1}{4}$  Sec.   
 58.00 To a Brook 100 links wide, Corner W.   
 79.91 Intersect the E. & West 35 links E. of the post cor. of   
 Sec. 17. 18. 19 & 20   
 Sand soil and timber same as last mile

*S. N. 8. N. R. N. 37. 2<sup>nd</sup> Mer. Ind.*

West Return Sec. 18 & 19 T. N. 8. N. R. N. 37.  
 20.50 Set a bench 100 links wide S.W.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which  
 on a line 10 mi. dist. bears N 86 E. 7 links north; or  
 W. Ash 18 " " " S 46 N. 49 " "  
 79.79 Intersect the West Boundary 196 links North of the  
 post cor. of sec. 13 & 24 T. N. 8. N. R. N. 47. Set a  
 post for the cor. of sec. 18 & 19 from which  
 W. Oak. 9 mi. dist. bears S 85 N. 25 links north; or  
 W. Oak. 14 " " " N 85 E. 18 " "  
 Same soil under timber same as last mile.

North On the true line between Sec. 17 & 18. T. N. 8. N. R. N. 37.  
 39.95 Set the temporary post at the av. dist. on the true line  
 for the cor. of  $\frac{1}{4}$  sec. from which  
 W. Oak. 4 mi. dist. bears N 69 E. 14 links north; or  
 Dogwood 11 " " " S 34 N. 12 " "  
 79.91 To the post cor. of sec. 7, 8, 17 & 18.

Sept. 6. 1815.

East On a Random line between Sec. 9 & 16. T. N. 8. N. R. N. 37.  
 40.00 Set a temporary post for the cor. of  $\frac{1}{4}$  sec.  
 80.72 Intersect the N. 85 line 11 links North of the post cor.  
 of sec. 9, 10, 15 & 16.  
 Same soil under timber same as last mile.

West On the true line between Sec. 9 & 16 T. N. 8. N. R. N. 37.  
 40.36 Set the temporary post at the av. dist. on the true line  
 for the cor. of  $\frac{1}{4}$  sec. from which  
 W. Oak. 14 mi. dist. bears N 54 N. 26 links north; or  
 Dogwood 3 " " " S 9 N. 8 " "  
 80.72 To the post cor. of sec. 8, 9, 16 & 17.

V N<sup>o</sup> 8. N.R. N<sup>o</sup> 3 W 2<sup>nd</sup> Mer. Ind.<sup>w</sup>

North Return Sec 8 & 9 T. N<sup>o</sup> 8. N.R. N<sup>o</sup> 3 W.

26.50 To a Brook 10<sup>th</sup> side, Course N.

37.00 " " 20<sup>th</sup> 10<sup>th</sup> " " N.W.

40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which

Sugar 12<sup>th</sup> in air: bears S 40 W. 17<sup>th</sup> the dist; & to

Beck 6<sup>th</sup> " " N 40 E. 19<sup>th</sup> " "

80.00 Set a post for the cor. of sec. 4, 5, 8 & 9 from which

Beck 9<sup>th</sup> in air: bears N 63 E. 19<sup>th</sup> the dist; & to

Sugar 12<sup>th</sup> " " S 56 W. 33<sup>th</sup> " "

Land is hilly and much good for farming  
Timber: Beech, Sugar, Ash, Poplar, &c

West Return Sec. 5 & 8. T. N<sup>o</sup> 8. N.R. N<sup>o</sup> 3 W.

40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which

Dogwood 6<sup>th</sup> in air: bears N 88 W. 14<sup>th</sup> the dist; & to

Sugar 11<sup>th</sup> " " " S 88 E. 29<sup>th</sup> " "

80.70 Set a post cor. of sec. 5, 6, 7, & 8. from which

Beck 10<sup>th</sup> in air: bears N 28 W. 8<sup>th</sup> the dist; & to

Qa 15<sup>th</sup> " " " S 61 W. 47<sup>th</sup> " "

Land same as last mile, Broken.

South On a random line between Sec. 7 & 8. T. N<sup>o</sup> 8. N.R. N<sup>o</sup> 3 W.

40.00 Set a temporary post for the cor. of  $\frac{1}{4}$  sec.

68.00 To a Brook 3<sup>th</sup> side, Course N.E.

80.67 Into sec. 8 the E. & W. line 57<sup>th</sup> the west of the post. cor.

of sec. 7 & 8, 17 & 18

Land is hilly & broken; Timber: Beech, Sugar, Ash, &c

North On the true line between Sec. 7 & 8. T. N<sup>o</sup> 8. N.R. N<sup>o</sup> 3 W.

40.33 Set the temporary post at the cor. dist on the true

line for the cor. of  $\frac{1}{4}$  sec. from which

Sugar 6<sup>th</sup> in air: bears N 81 E. 16<sup>th</sup> the dist; & to

Beck 9<sup>th</sup> " " " N 87 W. 23<sup>th</sup> " "



401

D. N. 8 N.R. N. 37. 2<sup>nd</sup> Mer. (Ind. 2)

80.67 To the post cor. of sec. 5. 6. 7 & 8.

West Return Sec. 7 & 18 T. N. 8. N.R. N. 37.  
 40.00 Set a post for the cor. of 1/4 sec. from which  
 Bush 24 in diam bears N 73 N. 8 lines dist; to  
 Co. 20 " " " N 82 E. 17 " "

56.00 To a small brook. Comes N.E.

70.00 " " Do. Sec. 8 the same. Comes N.E.

80.86 Intersect the West Return day 167 the North of  
 the post cor. of sec. 12 & 13 T. N. 8 N.R. N. 47 & set  
 a post for the cor. of sec. 7 & 18 from which  
 Bush. One diam bears S 78 E. 26. the dist to  
 Co. 12 " " " S 72 N. 22 " "  
 Second brook & timber same.

East Aug. Random line between Sec. 4 & 9 T. N. 8. N.R. N. 37.

40.00 Set a temporary post for the cor. of 1/4 sec.

79.79 Intersect the N 18 line 37 the North of the post cor. of sec.  
 3. 4. 9 & 10

Land hilly timber same; Land on which grows  
 for farming

West Aug true line between Sec. 4 & 9 T. N. 8 N.R. N. 37

39.87 Set the temporary post at the above dist on the true line for  
 the cor. of 1/4 sec. from which

Bush 12 in diam bears S 70 E. 6 the dist; and to  
 Co. 24 " " " N 34 N. 28

79.79 To the post cor. of sec. 4. 5. 8 & 9.

North Return Sec. 4 & 5 T. N. 8. N.R. N. 37.

40.00 Set a post for the cor. of 1/4 sec. from which

Bush 12 in diam bears N 15 N. 22 the dist; to  
 Co. 12 " " " N 82 E. 28 " "

T. N<sup>o</sup> 8. N. R. N<sup>o</sup> 3. T. N<sup>o</sup> 2<sup>nd</sup> Mer Ind<sup>o</sup>

- 41.00 Toa Brook 10 miles wide, Course N.  
 70.24 Intersect the N Boundary 33 miles East of the post.  
 Set. for the cor. of sec. 32, & 33. T. N<sup>o</sup> 9. N. R. N<sup>o</sup> 3 T.  
 and set a post for the cor. of sec. 4 & 5 from which  
 Eng. 10 in dist. bears N 61 W. 6 miles due; & a  
 Buck. 30 " " " S 55 E. 20. "  
 Lands hilly & good for farming Timber some

- West Return Set 6 & 7 T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 3 T.  
 7.00 Toa Brook 15 miles wide, Course N. W.  
 40.00 Set a post for the cor. of 1/4 sec. from which a  
 Buck. 9 in dist. bears S 29 W. 13 miles due; & a  
 Logwood 7, " " N 2 E. 13 " "  
 55.00 Toa Brook 15 miles wide, Course N. W.  
 80.27 Intersect the West Boundary 281 miles North of the  
 first cor. of sec. 1 & 12 T. N<sup>o</sup> 8. N. R. N<sup>o</sup> 4 T. & set a  
 post for the cor. of sec. 6 & 7 from which  
 Eng. 6 in dist. bears N 27 W. 11 miles due; & a  
 Buck. 18 " " " East 11 " "  
 Lands hilly & quite broken Timber some as last mile

- North Return Set 5 & 6. T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 3 T.  
 32.00 Toa Brook 10 miles wide, Course N. W.  
 36.00 " " Sec. 3 " " " N  
 40.00 Set a post for the cor. of 1/4 sec. from which a  
 Buck. 6 in dist. bears N 15 E. 8 miles due; & a  
 Log. 7 " " " S 21 W. 23 " "  
 70.71 Intersect the N Boundary 9 miles west of the post  
 cor. of sec. 31 & 32 T. N<sup>o</sup> 9 N. R. N<sup>o</sup> 3 T. and set a  
 post for the cor. of sec. 5 & 6 from which a  
 Buck. 24 in dist. bears N 36. 24 miles due; & a  
 R. Oak 36 " " " S 17 W. 22 " "  
 Lands broken & hilly

403

T. N<sup>o</sup> 8. NR. N<sup>o</sup> 3 W. 2<sup>nd</sup> Mer. Ind. :

North	Between Sec. 34 & 35 T. N <sup>o</sup> 8 NR. N <sup>o</sup> 3 W.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a Buck 14 in. dia. bears N 26 W. 31 the dist; 10 Buck 18 " " " South 7 " "
80.00	Set a post for the cor. of sec. 26, 27, 34 & 35 from which a Buck 9 in. dia. bears S 9 E. 11 the dist; 10 Log mode 6 " " N 18 W. 14 " " Land is low hills. Part of it rather stony Timber Poplar, Sugar, Oak & green ash.
East	On a line between Sec. 24 & 35 T. N <sup>o</sup> 8 NR. N <sup>o</sup> 3 W.
40.00	Set a temporary post for the cor. of $\frac{1}{4}$ sec.
48.00	To a small Brook. Corner NW.
80.00	Intersect the N & S line 27 miles North of the first cor. of sec. 25, 26, 35 & 36.
West	On the same line between Sec. 26 & 35 T. N <sup>o</sup> 8 NR. N <sup>o</sup> 3 W.
40.00	Set the temporary post at the above dist. on the line from the cor. of $\frac{1}{4}$ sec. from which a Red Oak 5 in. dia. bears N 10 E. 11 the dist; 10 Buck 5 " " " N 47 W. 14 " "
80.00	To the post cor. of sec. 26, 27, 34 & 35
West	Between Sec. 27 & 34 T. N <sup>o</sup> 8 NR. N <sup>o</sup> 3 W.
27.00	To a Brook 10 miles wide, Corner NW.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a Buck 10 in. dia. bears S 23 E. 10 the dist; 80 Sugar 12 " " " N 33 W. 22 " "
80.00	Set a post for the cor. of sec. 27, 28, 33 & 34 from which a Buck 8 in. dia. bears S 84 E. 11 the dist; made a Lo 5 " " West 12 " " Land is hilly; soil good; Timber Buck, Sugar, Oak & Poplar.



## T. N. 8 N. R. N. 3 W. 2nd Mer. Sec.

North Return Sec. 27 & 28 T. N. 8 N. R. N. 3 W.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  Sec. from which a  
 W Oak 30 in. diam. bears S 63 W. 8 the dist; & a  
 Do 30 " " " S 18 E 15 " "  
 84.00 Set a post for the cor. of Sec. 21, 22, 27 & 28 from which a  
 Y Buck 10 in. diam. bears S 26 E. 8 the dist; & a  
 Do 18 " " " N 37 W. 22 " "  
 Sand sent and timber same as last mile.

North Return Sec. 21 & 22 T. N. 8 N. R. N. 3 W.  
 13.00 To a Creek 100 yds wide, Corner N.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  Sec. from which a  
 Y Buck 14 in. diam. bears N 32 E. 25 the dist; & a  
 Do 15 " " " N 85 W. 35 " "  
 80.00 Set a post for the cor. of Sec. 15, 16, 21 & 22 from which  
 a Hackberry 9 in. diam. bears S 67 E. 19 the dist; & a  
 Y Buck 14 " " " N 55 W. 20 " "  
 Sand & timber same, South  $\frac{1}{2}$  mile 1 Buck bottom.

Sept. 2nd 1815

South On a Random line between Sec. 33 & 34 T. N. 8 N. R. N. 3 W.  
 40.00 Set a true N. & S. post for the cor. of  $\frac{1}{4}$  Sec.  
 79.20 Intersect the East & W. line 22 miles West of the  
 post cor. of Sec. 33 & 34  
 Sand & hills, muddling good for farming  
 Timber Poplar, Sycamore, Buck, Oak, &c

North On the true line between Sec. 33 & 34 T. N. 8 N. R. N. 3 W. 2nd Mer.  
 39.60 Set the true N. & S. post at the arr. dist. on the true line  
 for the cor. of  $\frac{1}{4}$  Sec. from which a  
 Y Buck 24 in. diam. bears N 73 W. 20 the dist; & a  
 Do 12 " " " S 62 E. 16 " "

405

T. N. 8. N. R. N. 3 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

4920 To the post cr. of sec. 27, 28, 33 & 34

West Return Sec. 28 & 33 T. N. 8 N. R. N. 3 W.

40.00 Set a post for the cr. of  $\frac{1}{4}$  sec. from which a  
N. Oak. 18 m. dist. bears West 11 m. to creek; & a  
Buck 24 " " " S 68 E. 18 " "

66.00 To a Brook 20 m. to m. d., Course S. W.

81.00 Set a post for the cr. of sec. 28, 29, 33 & 34 from which  
a Hog made 4 m. dist. bears S 10 E. 26 m. to creek; & a  
B. Oak. 40 " " " N 32 W. 35 " "  
Sander soil and timber same as last mile.

South On a Kansas line between Sec. 32, 33 T. N. 8 N. R. N. 3 W. 2<sup>nd</sup> Mer.

35.50 To a small Brook. Course S. W.

40.00 Set a temporary post for the cr. of  $\frac{1}{4}$  sec.

45.50 To a Brook - the m. d., Course West

82.04 Enter sec. the E. N. Range line 4 m. West of  
the post cr. of sec. 32, 33.

Sander soil & timber same as last mile.

North On the true line between Sec. 32 & 33 T. N. 8 N. R. N. 3 W.

40.02 Set the temporary post at the app. dist. on the true line  
for the cr. of  $\frac{1}{4}$  sec. from which  
Wick. 15 m. dist. bears S 81 E. 5 m. to creek; & a  
N. Oak. 20 " " " S 57 W. 20 " "

80.74 To the post cr. of sec. 28, 29, 32, & 33.

August 30 1815.

North Return Sec. 35 & 36 T. N. 8 N. R. N. 3 W.

6.50 To a small Brook, Course N. W.

12.00 " " " " " N.

40.00 Set a post for the cr. of  $\frac{1}{4}$  sec. from which a

T. N<sup>o</sup> 8. N. R. N<sup>o</sup> 3 W. 2<sup>nd</sup> Mer. Ind.

Buck 8 in dia. beam N 15 E. 18 links dia; 10  
 Do. 10 " " S 36 N. 12 " "  
 80.00 Set a post for the cor. of sec. 25, 26, 35 & 36. from which  
 a Poplar 36 in dia. beam N 5 E. 26. the dia; 10  
 Buck. 18 " " S 15 N. 30 " "  
 Land hilly, not adding good for farming; Timber  
 Oak, Ash, Buck & Poplar.

East On a Run am. line between Sec. 25 & 36. T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 3 W.  
 40.00 Set a temp. post for the cor. of 1/4 Sec.  
 80.50 Intersect the East Boundary 50 links North of  
 the post cor. of sec. 25 & 36.  
 Land middling for farming; Timber Poplar  
 Buck, Oak, &c

West On the true line between Sec. 25 & 36 T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 3 W.  
 40.25 Set the temp. post at the corr. dia; on the true  
 line for the cor. of sec. from which  
 Sassafras 6 in dia. beam S 5 E. 16 links dia; 10  
 Do. 8 " " N 19 E. - " "  
 80.50 To the post cor. of sec. 25, 26, 35, & 36.

August 31<sup>st</sup> 1815.

North Between Sec. 25 & 26 T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 3 W.  
 12.50 To a Brook - the main course 70.  
 40.00 Set a post for the cor. of 1/4 Sec. from which  
 Poplar. 40 in dia. beam S 50 N. 10 the dia; 10  
 Buck. 14 " " S 77 N. 8 " "  
 80.00 Set a post for the cor. of sec. 23, 24, 25 & 26 from which  
 a W. Buck. 4 in dia. beam S 85 E. 8 the dia; 10  
 Oak 3 " " S 28 N. 20 " "  
 Land hilly, & middling for farming; Timber  
 Buck. Poplar, Oak &c

I. N<sup>o</sup> 8. N.R. N<sup>o</sup> 377. 2<sup>nd</sup> Mer. Ind.<sup>e</sup>

407

East On a Roman line between Sep. 24 & 25 I. N<sup>o</sup> 8. N.R. N<sup>o</sup> 377. 2<sup>nd</sup> Mer.

40.00 Set a temporary post for the cor. of 1/4 sec.

80.15 Intersect the East & West line 27 th. North of the post cor. of Sep. 24 & 25 Same as hillly strong & poor

West On the true line between Sep. 24 & 25 I. N<sup>o</sup> 8. N.R. N<sup>o</sup> 377.

40.07 Set the temporary post at the corr. dist. on the true line for the cor. to 1/4 sec. from which a

Beck 78 in. dist. bears N 80 E. 7 links dist; & a

Beck 6 " " " N 47 N. 6 " "

80.15 To the post cor. of Sep. 23, 24 & 25 & 26.

North Between Sep. 23 & 24 I. N<sup>o</sup> 8. N.R. N<sup>o</sup> 377.

40.00 Set a post for the cor. of 1/4 sec. from which a  
Maple 16 in. dist. bears — 71 E. 9 links dist; & a  
Oak 20 " " " S 58 N. 24 " "

80.00 Set a post for the cor. of Sep. 13, 14, 23 & 24 from which a

Oak 18 in. dist. bears N 10 E. 9 links dist; & a

Beck 7 " " " S 70 E. 13 " "

Same as hillly & strong Iron Oak, Buck & Ash,

Sept. N<sup>o</sup> 18 15.

East. On a Roman line between Sep. 13 & 24 I. N<sup>o</sup> 8. N.R. N<sup>o</sup> 377.

40.00 Set a temporary post for the cor. of 1/4 sec.

79.74 Intersect the N & S line 60 links N. of the post cor. of Sep. 13 & 24 Same as same as last one

West On the true line between Sep. 13 & 24 I. N<sup>o</sup> 8. N.R. N<sup>o</sup> 377.

39.87 Set the temporary post at the corr. dist. on the true line for the cor. of 1/4 sec. from which a

Beck 20 in. dist. bears S 39 N. 20 links dist; & a

Beck 12 " " " N 63 E. 5 " "

309





N<sup>o</sup> 8. N.R. No 377. 2<sup>nd</sup> Mer. Ind.

80.00 Set a post for the cor. of sec. 12, 11 & 10 from which a  
 Poplar 36 in. diam. bears S 42<sup>o</sup> 77.9 into web; & a  
 Sugar. 10 " " " N 43 E. 11 " "  
 Land good for farming; Timber same

Sept. 2<sup>nd</sup> 1815.

East Return Sec. 22 & 27 I N<sup>o</sup> 8. N.R. N<sup>o</sup> 377.  
 21.50 To a Brook. - the mid, corner N.  
 40.00 Set a post for the cor. of sec. from which a  
 Buck 8 in diam. bears S 4 E. 6 into web; & a  
 Logwood 4 " " " N 53 W. 16 " "  
 80.00 Set a post for the cor. of sec. 22, 23, 26 & 27 from which a  
 Poplar 4 in diam. bears N 53 E. 60 into web; & a  
 Log. 4 " " " " 36<sup>o</sup> 78. 14 " "  
 Land hilly, good for farming. Timber Oak,  
 Sugar & Hickory

South On a Random line between Sec. 21. & 27 I N<sup>o</sup> 8. N.R. 377.  
 40.00 Set a temporary post for the cor. of sec. for  
 44.00 To a Brook. 3 miles mid. corner N.W.  
 80.68 Intersected the E. & W. line 29 miles West of the post cor. of  
 Sec. 26. 27. 34 & 35.  
 Land not made timber same as last mile.

North On the true line between Sec. 26. & 27. I N<sup>o</sup> 8. N.R. N<sup>o</sup> 377.  
 40.34 Set the temporary post at the aver. web in the true line for  
 the cor. of sec. from which a  
 Buck 18 in diam. bears S. 55<sup>o</sup> 77. 5 into web; & a  
 Poplar 4 " " " " N 14 E. 15 " "  
 80.68 To the post cor. of sec. 22, 23, 26 & 27.

East On a Random line between Sec. 23. & 26. I N<sup>o</sup> 8. N.R. 377.  
 40.00 Set a temporary post for the cor. of sec.

T. No 8. N. R. No 3 W. 2<sup>nd</sup> Mer. (Ind. 2).

1988 Intersect the N. & S line 100 miles N. of the post cross off  
 Sec. 23, 24, 25 & 26.  
 Land is hilly, good for farming; timber same.

West On the true line between Sec. 23 & 26 T. No 8 N. R. No 3 W.  
 39.94 Set the temporary post at the am. dist. on the true line for  
 the cor. of 1/4 Sec. from which  
 Back 15 mi. dir. true N 45 W. 23 miles due; or  
 Walk 4 " " " N 12 E. 23 " "  
 1988 To the post cor. of Sec. 22, 23, 26 & 27.

North Between Sec. 22 & 23 T. No 8 N. R. No 3 W.  
 39.00 To a Brook - 1/2 mile wide, Corner S W.  
 40.00 Set a post for the cor. of 1/4 Sec. from which  
 Back 24 mi. dir. true S 57 W. 7 miles due; or  
 Walk 10 " " " - 23 E. 15 " "  
 45.00 To the above brook - 1/2 mile wide, Corner N. E.  
 65.00 " " same. Walk - " " " S W.  
 80.00 Set a post for the cor. of Sec. 14, 15, 22, & 23 from which  
 Back 4 mi. dir. true S 84 E. 8 miles due; or  
 Walk 3 " " " S 18 E. 10 " "  
 Land is meadowy for farming; hilly &c. timber  
 Beech, Sugar & Spruce.

East On a Meridian line between Sec. 14 & 23 T. No 8 N. R. No 3 W.  
 40.00 Set a temporary post for the cor. of 1/4 Sec.  
 70.00 To a Brook 70 miles wide, Corner S.  
 80.15 Intersect the N. & S line 50 miles South of the post cor. of  
 Sec. 13, 14, 23 & 24  
 Land is soil made timber same as last mile.

West On the true line between Sec. 14 & 23 T. No 8 N. R. No 3 W.  
 40.07 1/2 Set the temporary post at the am. dist. on the true line

411

V. No 8. V. R. No 3 W. 2nd Mer. Ind. w

for the cor. of  $\frac{1}{4}$  sec. from which  
 Buck 18 in diam. beam. North 1 mile due; 1 m  
 Ho. 6 " " " S 57 E. 10 " "  
 80.15 To the post cor. of sec. 14. 15, 22, 23.

Sept. 3<sup>rd</sup> 1815.

East On the line between Sec. 15 & 22, T. 8. N. R. No 3 W.  
 40.00 Set a temp. post for the cor. of  $\frac{1}{4}$  sec.  
 79.32 Into sec. the N. 13 line 10.8 miles North of the post cor. of  
 Sec. 14. 15, 22 & 23.  
 Land suitable for farming; Timber Poplar, Buck  
 Ash.

West On the line between Sec. 15 & 22, T. 8. N. R. No 3 W.  
 39.66 Set the temp. post at the corr. due on the line for  
 the cor. of  $\frac{1}{4}$  sec. from which  
 Buck 4 in diam. beam S 83 E. 34 miles due; 1 m  
 Ho 10 " " " S 27 W. 18 " "  
 79.32 To the post cor. of Sec. 15. 16, 21. & 22.

North Between Sec. 15 & 16 T. 8. N. R. No 3 W.  
 34.00 To a Brook. 20 m wide, Course N.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which  
 Buck 3 in diam. beam S 84 W. 19 miles due; 1 m  
 Ho 6 " " " S 27 E. 9 " "  
 75.00 To a Brook 12 miles wide, Course N.  
 80.00 Set a post for the cor. of sec. 9. 10. 15. & 16 from which  
 Buck 20 in diam. beam. South 6 miles due; 1 m  
 Ho 14 " " " N 50 E. 16 " "  
 Land hilly and good for farming; Timber Buck,  
 Ash, Elm, Sugar,

Sept. 4. 1815



T. N<sup>o</sup> 8. N.R. N<sup>o</sup> 3 7<sup>th</sup> 2<sup>nd</sup> Mer. Sec.East Wetum Sec. 10. & 15 T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 3 7<sup>th</sup>40.00 Set a post for the cor. of 1/4 sec. from which as  
Sugarcane 16 in air: beam N 82 7<sup>th</sup> E. 22 miles north; 10

Buck 10 " " " N 37 E. 10 " "

80.00 Set a post for the cor. of sec. 10. 11. 14 &amp; 15 from which as

Buck 18 in air: beam N. 43 7<sup>th</sup> E. 13 miles north; 10

Lg. 14 " " " N 68 E. 23 " "

Grade soil and timber same as last mile.

South On a Random line between Sec. 14 & 15 T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 3 7<sup>th</sup>

40.00 Set a post for the cor. of 1/4 sec. (Temp. 7)

7990 Intersect the E & 7<sup>th</sup> line 112 lbs East of the post cor. of  
Sec. 14. 15. 22. 123.

Grade &amp; timber same as last mile.

North On the true line between Sec. 14 & 15 T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 3 7<sup>th</sup>.

39.95 Set the temp. 7 post at the av. dist. on the true line

for the cor. of 1/4 sec. from which as

Sugarcane 16 in air: beam N 5 E. 23 miles north; 10

Buck 18 " " " N 82 E. 21 " "

7990 Set the post cor. of sec. 10. 11. 14 &amp; 15.

East On a Random line between Sec. 11. & 14 T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 3 7<sup>th</sup>.40.00 Set a temp. 7 post at the ~~av. dist.~~ cor. of 1/4 sec.

74.00 To a block. 70 miles wide, Commercial.

78.32 Intersect the N & 3<sup>rd</sup> line 120 miles N. of the post cor. of  
Sec. 11. 12. 13. & 14.

Grade soil &amp; timber same as last mile.

West On the true line between Sec. 11. & 14 T. N<sup>o</sup> 8. N.R. N<sup>o</sup> 3 7<sup>th</sup>.38.16 Set the temp. 7 post at the av. dist. on the true line for  
the cor. of 1/4 sec. from which as

Buck 17 in air: beam S 63 E. 22 miles north; 10

T. N<sup>o</sup> 8. N. R. N<sup>o</sup> 3 W. 2<sup>nd</sup> Mer (Ind. <sup>c</sup>)

48.32 Buck. 18 in dist. bears N 137<sup>th</sup>. 30 miles north;  
To the post cor. of sec. 11, 11, 14 & 15.

East On a Random line between Sec. 1 & 12 T. N<sup>o</sup> 8. N. R. N<sup>o</sup> 3 W.  
28.50 To a road. 60 miles in air; corner E.  
40.00 Set a temporary post at the cor. of 1/4 sec.  
79.73 Intersect the N. & S. line 40 miles North of the post cor. of sec.  
1 & 12. Lande hilly & good for farming; Timber Oak,  
Ash, Elm, Buck, Sugar & Spruce.

West On the true line between Sec. 10 & 12 T. N<sup>o</sup> 8. N. R. N<sup>o</sup> 3 W.  
39.86 Set the temporary post at the corner dist.; on the true line for the  
cor. to 1/4 sec. from which  
Sugar. 5 in dist. bears N 47<sup>th</sup>. 13 miles north; S. &  
Buck. 24 " " " N 30 E. 21 " "  
79.73 To the post cor. of sec. 1, 2, 11 & 12

North Between Sec. 1 & 12 T. N<sup>o</sup> 8. N. R. N<sup>o</sup> 3 W.  
40.00 Set a post for the cor. of 1/4 sec. from which  
Poplar. 8 in dist. bears N 63<sup>th</sup>. 6 miles north; S. &  
Sugar. 3 " " " S 10 E. 4 " "  
72.35 Intersect the N. Boundary 70 miles East of the post cor.  
of sec. 35, 136. T. N<sup>o</sup> 9. N. R. N<sup>o</sup> 3 W. & set a post for the  
cor. of sec. 1 & 12 from which  
Hickory 18 in dist. bears East. 16 miles north; S. &  
Oak 17 " " " S 67<sup>th</sup>. 20 " "  
Lande hilly, stony & poor. Timber Oak & Hickory

West Between Sec. 2 & 11 T. N<sup>o</sup> 8. N. R. N<sup>o</sup> 3 W.  
40.00 Set a post for the cor. of 1/4 sec. from which  
Spruce in dist. bears N 24<sup>th</sup>. 15 miles north; S. &  
Buck. 15 " " " S 52 E. 13 " "  
80.00 Set a post for the cor. of sec. 2, 3, 10 & 11 from which

*D. No. 8. N.R. No. 377. 2nd. Mer. Ind. 3*

	<p>Beck. 18 in air: bears S 7 E. 9 miles due; 10          Do. 15 " " N 26 W. 13 " "          Land chiefly &amp; good for farming; Timber Buck          Ash &amp; Engw</p>
<p>South          4000          78.50</p>	<p>On a Random line between Sec 10 &amp; 11 T. No. 8. N.R. 377.          Set a timber post at the cor. of 14 sec.          Intersect. the E &amp; M line 180 miles West of the post cor.          of sec. 10 11. 14. &amp; 15.          Land cut made timber same as last mile.</p>
<p>North          39.25          78.50</p>	<p>On the true line between Sec. 10 &amp; 11 T. No. 8. N.R. 377.          Set the timber post at the cor. due; on the true line          for the cor. of 14 sec. from which are          Oaks 28 in air: bears S 64 W. 11 miles due; 10          Beck. 16 " " " N 2 E 11 " "          To the post cor. of sec. 2, 3 10. &amp; 11.</p>
	<p>Sept. 6. 1815</p>
<p>North          4000          80.00</p>	<p>Return Sec. 9. &amp; 10 T. No. 8. N.R. No. 377.          Set a post for the cor. of 14 sec. from which          Beck. 10 in air: bears N 36 E. 9 miles due; 10          Dogwoods 4 " " " S 18 W. 24 " "          Set a post for the cor. of sec. 3 &amp; 4 9. &amp; 10 from which          Hick. 16 in air: bears East 11 miles due; 10          Sugar 4 " " " N 8 W. 8 " "          Land good for farming; Timber Sassafras Oak,          Gum. Poplar &amp; Buck. Rather rich</p>
<p>North          4000</p>	<p>Between Sec. 3 &amp; 4. T. No. 8. N.R. No. 377.          Set a post for the cor. of 14 sec. from which          Beck. 15 in air: bears S 13 E. 17 miles due; 10          Do. 10 " " " N. 10 E. 16 " "</p>

T. N<sup>o</sup> 8. N.R. N<sup>o</sup> 37. 2<sup>nd</sup> Mer. Ind.

41.54 Enter cut the N Boundary 138 lks East of the  
Post cr. of sec. 33 & 34. T. N<sup>o</sup> 9. N.R. N<sup>o</sup> 37. 1<sup>st</sup> Mer.  
" for the cr. of sec. 34 & 4. From which a  
Poplar 4 in diam. bears N 68 E. 4 links dist; 10  
" 4 in " " N 84 W. 19 " "  
Sandy soil under timber some red soil.

Sept 8. 1815

East On a Random line between Sec. 3 & 10 T. N<sup>o</sup> 8. N.R. 37.  
40.00 Set a temporary post for the cr. of sec.  
48.35 Enter cut the N.S. line 25 links N. of the post cr. of  
sec. 2, 3, 10 & 11. Some good for farming  
Timber Ash, Oak, Poplar, & Birch.

West On the true line between Sec. 3 & 10 T. N<sup>o</sup> 8. N.R. N<sup>o</sup> 37.  
39.14 Set the temporary post at the acc. dist. on the true line for the  
cr. of 1/4 sec. From which a  
Poplar 4 in diam. bears S 13 E. 5 links dist; 10  
" 4 in " " - 65 W. 16 " "  
48.35 To the post cr. of sec. 3, 4, 9 & 11.

North Between Sec. 2 & 3 T. N<sup>o</sup> 8. N.R. N<sup>o</sup> 37.

16.00 To a Brook. 15 links wide, Corner N.W.

40.00 Set a post for the cr. of 1/4 sec. From which a  
Birch 14 in. diam. bears S 76 W. 8 links dist; 10  
" 4 in " " S 55 E. 16 " "

42.55 Enter cut the N Boundary of T. N<sup>o</sup> 8. N.R. N<sup>o</sup> 37. 39  
links East of the Post cr. of sec. 34 & 35. T. N<sup>o</sup> 9. N.R.  
N<sup>o</sup> 37. and set a post for the cr. of 2 & 3 from which a  
Sycam. 15 in diam. bears N 23 W. 29 links dist; 10  
" 6 " " S 34 E. 26 " "  
Some middling for farming; hilly; Timber Ash, Oak  
& Birch, Poplar & Sycam.



T. No 8. N. R. No 3. M. 2nd Mer. Ind.

I certify that the foregoing transcripts of the field notes of Townships No 8 North of Range No 3. West of the principal Meridian in Indiana have been compared with the Original notes in this Office and found to be correct.

Surveyor General's Office,

Cincinnati, Dec. 16. 1840

E. S. Rains  
Sur. Genl.

(This line was omitted in its proper place)  
East Between Sec. 17 & 20, T 8 N. R 3 W  
40.00 A post. Sec. post, from which  
a Beech 13 in. diam. bears S 3 E 41 lbs. dist. of  
a Do. 12 " " " N 11 E 16 " "  
47.00 a Brook 15 lbs. wide Course N. W.  
80.00 A post Cor. to Sec. 16, 17, 20 & 21, from which  
a Dogwood 8 in. diam. bears S 67 E 19 lbs. dist. of  
a Sugar 12 " " " N 65 W 32 " "  
Land Hilly (middling good for farming, timber  
Beech, Sugar, Poplar & Oak.